



SCC-B5311P | SCC-B5313P | SCC-B5315P

imagine 540 TVL, Day/ Night, 0.002 lux,
BLC, DNR, 3-Axis, Dual Voltages
...all as your minimum requirement






Features

- 1/3-Inch CCD
- 540 TV Lines Resolution
- Day/ Night Capability
- High Sensitivity of 0.002 Lux
- Samsung Digital Noise Reduction Technology
- 3-Axis Rotating Structure
- AC24V/ DC12V

Dimensions unit: (mm)



Specifications

Model		SCC-B5311P	SCC-B5313P	SCC-B5315P
Image	Device	Super-HAD II CCD		
	Size	1/3 inch		
	Pixels	795 x 596		
	Total	752 x 582		
	Effective	752 x 582		
Scanning	System	2:1 Interlace		
	Horizontal Frequency	15,625Hz		
	Vertical Frequency	50Hz		
Synchronization		Internal/ Line Lock		
Min. Scene Illumination		0.002 Lux		
Functions	Auto Gain Control	On/ Off		
	Back Light Compensation	On/ Off		
	Day/ Night	Auto/ Off		
	DNR	On/ Off		
	H/V Reverse	On/ Off		
	Line Lock	On/ Off		
	Sense Up	On/ Off (-x128)		
	White Balance	ATW/ AWC		
	Lens	Focal Length	3.8mm	3.0mm
Viewing Angle		Horizontal	92°	33.6°
		Vertical	53°	72°
Monitoring	Panning	0° ~ 340° (Manual)		
Angle	Tilting	0° ~ 90° (Manual)		
Resolution	Horizontal	540 TV Lines		
Video Output		1.0Vp-p/ 75Ω		
S/N Ratio		50dB		
Environmental Conditions	Operating Temperature	-10°C ~ 50°C		
	Humidity	Less than 90% RH		
Power	Power Source	AC24V/ DC12V		
	Power Consumption	1.6W		
	LED Indicator	Yes		
Physical	Weight	190g		
Specification	Dimension	102(Ø) x 78(H) mm		
	Body Color	White		



* Design and specifications are subject to change without notice

SAMSUNG ELECTRONICS CO., LTD.

VSS marketing, 416, Maetan 3 Dong, YeongTong-Gu, Suwon City, Kyeonggi-Do, Korea, 443-742

Distributed by